

<b>Notice of Allowability</b>	Application No.	Applicant(s)	
	10/730,024	BULLOCK, MATTHEW	
	Examiner	Art Unit	
	Paul A. Chenevert	3612	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the Application filed 09DEC03.
2. ☒ The allowed claim(s) is/are 1-21.
3. ☒ The drawings filed on 09 December 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

#### Attachment(s)

- |   |  |
|---|--|
| 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)   | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)                                    |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                | 6. <input checked="" type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date <u>2004 12 01</u> . |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),<br>Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment  |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material          | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance                           |
|   | 9. <input type="checkbox"/> Other _____.   |

### EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

2. Authorization for this examiner's amendment was given in a telephone interview with Bradford Kile on 01DEC04.

3. The application has been amended as follows:

Paragraph 24:

Line 3, a period --. has been inserted at the end of the sentence.

Paragraph 26:

Line 3, "forty" has been changed to --twenty-- (see paragraphs 11 & 68).

Paragraph 42:

Line 2, "docket" has been changed to --docked--,

Line 5, "containers 10" has been changed to --containers 12--.

Paragraph 44:

Line 8, "carge" has been changed to --cargo--.

Paragraph 56:

Line 4, a period --. has been inserted at the end of the sentence.

Claim 1:

Lines 17 & 21, "said second side" has been changed to --a second side--.

Art Unit: 3612

Claim 2:

Line 2, “adheraing” has been changed to --adhering--.

4. The following changes to the drawings have been approved by the examiner and agreed upon by applicant:

- a. Reference number “60” located between “72” and “FIG. 6” in Figure 5 should be deleted.
- b. One of the reference numbers “58” in Figure 5 should be deleted.
- c. One of the reference numbers “78” in Figure 5 should be deleted.

In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

5. The following is an examiner’s statement of reasons for allowance: the prior art does not show or make obvious Applicant’s laminated load restraining strip having a release paper, two layers of reinforcement strands, a flexible substrate, and three layers of adhesive.

6. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled “Comments on Statement of Reasons for Allowance.”

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paul A. Chenevert whose telephone number is 703-305-0837.

The examiner can normally be reached on Mon-Fri (8:30-5:00).

Art Unit: 3612

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn D. Dayoan can be reached on 703-308-3102. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Paul A. Chenevert  
Examiner  
Art Unit 3612

PAC

PAC  
01DEC04



12/1/04

D. GLENN DAYOAN  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 3600  
D. GLENN DAYOAN  
SUPERVISORY  
TECHNOLOGY CENTER 3600